

1/16




Fig. 1

2/16




Fig. 2

3/16

300




Fig. 3

4/16




Fig. 4

5/16




Fig. 5




Fig. 6

7/16




Fig. 7




Fig. 9

8/16




Fig. 8








Fig. 10





12/16

1300

**BUSINESS PROCESS EDITOR**

File

Edit

Publish

Help

Application Access Method

Process Flow

Access Method Name

OrderEntry

Access Method Type

Program Call

◀

**Properties**

System

rchas001

Userid

rstevens

Password

\*\*\*\*\*

PCM document

orderentrypgm

Browse

**Documents**

Input

orderentrypgm

Browse

Load

◉

PCML

○

XML

Output

orderentrypgm

Browse

Load

◉

PCML

○

XML

Field ID	Name	Default	Display
<div style="margin-left: 10px;"> <input type="checkbox"/> Input           <div style="margin-left: 10px;"> <input type="checkbox"/> XYZ             <div style="margin-left: 10px;"> <input type="checkbox"/> inum               <div style="margin-left: 10px;"> <input type="checkbox"/> q             </div> </div> </div> <input type="checkbox"/> Output           <div style="margin-left: 10px;"> <input type="checkbox"/> XYZ             <div style="margin-left: 10px;"> <input type="checkbox"/> p             </div> </div> </div>	Item Number		✓
	Item Quantity	1	✓
	Item Price		✓

Fig. 13

13/16

1300

BUSINESS PROCESS EDITOR									
File	Edit	Publish Help							
<div style="display: flex; justify-content: space-between;"> <span>Application Access Method</span> <span>Process Flow</span> </div>									
Protocol	Ariba								
Action	Order Request								
Access Method names	Order Entry								
Input Mappings									
<div style="margin-bottom: 5px;">Request Fields</div> <div style="margin-left: 15px;"> <input checked="" type="checkbox"/> B2B Header           <div style="margin-left: 20px;"> <input type="checkbox"/> Field 1           </div> <input checked="" type="checkbox"/> Item Out           <div style="margin-left: 20px;"> <input checked="" type="checkbox"/> Item ID           <div style="margin-left: 20px;"> <input type="checkbox"/> SupplierPartID           </div> <input type="checkbox"/> @quantity           </div> </div>	<div style="margin-bottom: 5px;">Access Method Fields</div> <div style="margin-left: 15px;"> <input type="checkbox"/> Item Number           <input type="checkbox"/> Item Quantity           <input type="checkbox"/> Billing Address           <input type="checkbox"/> Shipping Address         </div>	<div style="text-align: center; padding: 5px;">Add Mappings</div> <div style="border: 1px solid black; height: 100px; width: 100%;"></div>							
Output Mappings									
<div style="margin-bottom: 5px;">Response Fields</div> <div style="margin-left: 15px;"> <input checked="" type="checkbox"/> Item Out           <div style="margin-left: 20px;"> <input type="checkbox"/> @quantity           </div> </div>	<div style="margin-bottom: 5px;">Access Method Fields</div> <div style="margin-left: 15px;"> <input type="checkbox"/> Item Price           <input type="checkbox"/> Shipping Date           <input type="checkbox"/> Shipping Status         </div>	<div style="text-align: center; padding: 5px;">Add Mappings</div> <div style="border: 1px solid black; height: 100px; width: 100%;"></div>							
Access Method Fields									
<div style="margin-bottom: 5px;">Input</div> <div style="margin-left: 15px;"> <input type="checkbox"/> Item Number           <input type="checkbox"/> Item Quantity         </div> <div style="margin-bottom: 5px;">Output</div> <div style="margin-left: 15px;"> <input type="checkbox"/> Item Price         </div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">/itemOut/itemID/SupplierPartID</td> <td style="padding: 5px;">Remove</td> </tr> <tr> <td style="padding: 5px;">/itemOut/@quantity</td> <td style="padding: 5px;"></td> </tr> <tr> <td style="padding: 5px;">/itemOut/@price</td> <td style="padding: 5px;">Remove All</td> </tr> <tr> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> </table>	/itemOut/itemID/SupplierPartID	Remove	/itemOut/@quantity		/itemOut/@price	Remove All		
/itemOut/itemID/SupplierPartID	Remove								
/itemOut/@quantity									
/itemOut/@price	Remove All								

Fig. 14

14/16

Instances

Suppliers

Buyers

Catalog

Deployment

DEPLOY FLOW INSTRUCTIONS FOR <INSTANCE NAME>

Select Protocol
<input type="radio"/> Ariba
<input type="radio"/> Metiom
<input type="radio"/>

Next

Cancel

Exit the Tool

- Making selection and clicking  
Next starts a series of steps:

- Step 1: Select Protocol (this screen)
- Step 2: Select Marketplace
- Step 3: Select Protocol elements supported and Flow Operations that support those elements.
- Step 4: Finish and Deploy

MESSAGE AREA

Fig. 15

15/16

1600

Instances

Suppliers

Buyers

Catalog

Deployment

SELECT MARKETPLACE FOR <INSTANCE NAME>

MARKETPLACE:

1602

- select marketplace-

1604

▽

Next

Only valid/known Marketplaces are shown selection required, next goes to next screen

Cancel

Exit the Tool

MESSAGE AREA

Fig. 16

Instances

Suppliers

Buyers

Catalog

Deployment

1700

CONFIGURE JOE'S FISHMARKET FOR <INSTANCE NAME>

1710

Transaction	Subtype	Supplier	Buyer	Operation (Flow)
<input checked="" type="checkbox"/> OrderMessage	<none>	*All ▾	*All ▾	JoeseFishOrder ▾
<input type="checkbox"/> ProfileRequest	<none>	*All ▾	*All ▾	AribaProfile ▾
<input checked="" type="checkbox"/> PunchOut	create	*All ▾	*All ▾	PunchOutCeate ▾
<input checked="" type="checkbox"/>	edit	*All ▾	*All ▾	JoesePunchEdit ▾
<input type="checkbox"/>	inspect	*All ▾	*All ▾	PunchOutinspect ▾

1701

Deploy

Deploy the Metadata

Advances

- Display and allow edit of supplier/Buyer  
 - Known Suppliers/ buyers in dropdown  
 - Selecting new Supplier/ Buyer creates new line

Previous

Edit

- Select which protocol messages and sub-types will be supported for this market  
 - Only Valid types for Protocol will be displayed  
 - Valid Operations come up in operation dropdown

Fig. 17